

	Hits	Search Text	DBs
1	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	17603	375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177cross, 348/180, 725/105, 725/131, 725/143, 725/151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	9619	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151).ccls. and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	33	((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	96	((("5475874") or ("5584061") or ("5649319") or ("6353930") or ("6370475") or ("6405132") or ("5300935") or ("6006076") or ("4291414") or ("5708964") or ("5802067") or ("6085146") or ("5914675") or ("5289285") or ("5802066") or ("6470496") or ("4608710") or ("5682599") or ("5745845") or ("5794118") or ("5459719") or ("5513385") or ("5572194") or ("5699104") or ("6016567") or ("6741293") or ("5819166") or ("4801940") or ("3845394") or ("4476582") or ("5519758") or ("5613230") or ("5654719") or ("5749048") or ("6181921") or ("4339826") or ("5913155") or ("5926510") or ("6064255") or ("5444847") or ("6122493") or ("4313214") or ("4348770") or ("5584051") or ("5712850") or ("6064658") or ("6088351") or ("6222924") or ("6222924") or ("5214656")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	3	S8 and (decod\$5 with (stop\$5 or halt\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	36	S8 and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S8 and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	20	((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570cross, 725/96).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>14</b>	<b>0</b>	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>2</b>	("5050237").PN.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>2007</b>	(digital near2 broadcast near2 receiver) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>17</b>	<b>93</b>	(375/260, 375/345, 375/316, 375/295, "455"/\$, "370"/\$).ccls. and (digital near2 broadcast near2 receiver) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>4</b>	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (digital near2 broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5) near2 frequenc\$7) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>19</b>	<b>111</b>	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5) near2 frequenc\$7) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>119</b>	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or low\$5 or idl\$5 or free\$5) near2 frequenc\$7) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>21</b>	<b>9</b>	((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or idl\$5 or free\$5) near2 frequenc\$7) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>2</b>	ep-1211829-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>23</b>	<b>95</b>	(375/260, 375/345, 375/316, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7).cccls. and (digital near2 broadcast near2 receiver) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>103902</b>	(hitomi.in. or inoue.in. or otsubo.in. or hamabata.in.) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>55</b>	(hitomi.in. or inoue.in. or otsubo.in. or hamabata.in.) and (digital near2 broadcast\$5 near2 receiv\$5) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>26</b>	<b>2</b>	<b>"5050237".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>27</b>	<b>0</b>	<b>"369197".pran.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>28</b>	<b>0</b>	<b>"2000369197".pran.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>29</b>	<b>0</b>	<b>"JP 2000369197".pran.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>30</b>	<b>1</b>	<b>((tun\$5 or find\$5 or search\$5 or locat\$5) near2 (broadcast\$5)) same ((weak\$5 or damag\$5 or impair\$5 or brok\$5 or break\$5 or idl\$5 or free\$5) near2 frequenc\$7) and fram\$5 and @ad&lt;"20001204"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>1692</b>	<b>(search near2 resulting near2 from decod\$5 near2 stop\$5) and @ad&lt;"20001204"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>32</b>	<b>1692</b>	<b>(search near2 result\$5 near2 from decod\$5 near2 stop\$5) and @ad&lt;"20001204"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>33</b>	<b>344</b>	<b>(search near2 resulting near2 from decod\$5 near2 stop\$5) and (tv or television) and @ad&lt;"20001204"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>34</b>	<b>344</b>	(search\$5 near2 result\$5 near2 from decod\$5 near2 stop\$5) and (tv or television) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>35</b>	<b>6</b>	(US-5050237-\$ or US-5896177-\$ or US-6339669-\$ or US-6353930-\$ or US-6363514-\$).did. or (EP-1211829-\$).did.	<b>USPAT; EPO</b>
<b>36</b>	<b>0</b>	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7).cccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with stop\$5 or halt\$5)) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and (digital near2 broadcast near2 receiver) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>37</b>	<b>3983</b>	(decod\$7 same ("not" or no) near2 decod\$7)) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>38</b>	<b>216</b>	(decod\$7 same ("not" or no) near2 decod\$7)) and fram\$7 and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>39</b>	<b>0</b>	((decod\$7 same ("not" or no or stop) near2 decod\$7)) with fram\$7 with (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>40</b>	<b>49</b>	((decod\$7 same ("not" or no or stop) near2 decod\$7)) with fram\$7) and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>41</b>	<b>169</b>	<b>S38 not S40</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>42</b>	<b>0</b>	(decod\$7 with fram\$7 with ("not" or no or stop) with other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>43</b>	<b>0</b>	(decod\$7 with fram\$7 with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>44</b>	<b>0</b>	(decod\$7 with (one or path\$7) with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>45</b>	<b>0</b>	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7) with ("not" or no or stop\$7) with \$3other) and (tv or television\$7) and tun\$7 and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>46</b>	<b>1</b>	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7) with ("not" or no or stop\$7) with \$3other) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>



	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>47</b>	<b>8</b>	("4356568"   "4429279"   "4455674"   "4563651"   "4598426"   "4680795"   "4688254"   "4712241").PN. OR ("5050237").URPN.	<b>US-PGPUB; USPAT; USOCR</b>
<b>48</b>	<b>2</b>	<b>S47 and decod\$7</b>	<b>US-PGPUB; USPAT; USOCR</b>
<b>49</b>	<b>1</b>	(decod\$7 with (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) with ("not" or no or stop\$7) with \$3other) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>50</b>	<b>10410</b>	(decod\$7 same (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) same ("not" or no or stop\$7) same (\$3other or next\$7 or prior\$7 or previous\$7 or earlier\$7)) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>51</b>	<b>32</b>	(decod\$7 same (one or path\$7 or chain\$7 or channel\$7 or frequenc\$7 or fram\$7 or branch\$7) same ("not" or no or stop\$7) same \$3other) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>52</b>	<b>2</b>	<b>jp-07231269-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	Hits	Search Text	DBs
53	0	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	860	broadcast\$7 with mut\$7 and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	(digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	0	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, "455"/\$, "370"/\$, 381/3, 381/4, 381/5, 381/6, 381/7, 375/217, 375/216).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and ((channel\$5 or station\$5 or frequenc\$5) near2 (search\$5 or find\$5 or locat\$5)) and (digital near2 broadcast near2 receiver) and @ad<"20001204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>57</b>	<b>0</b>	(375/240, 375/240.01, 375/316, 375/240.24, 375/340, 331/177R, 331/178, 331/179, 348/222, 348/177, 348/180, 725/105, 725/131, 725/143, 725/151, 348/192, 348/570, 725/96, 375/260, 375/345, 375/295, 381/3, 381/4, 381/5, 381/6, 381/7, 375/217, 375/216).ccls. and (digital near2 broadcast near2 receiver) and ((bit\$2 near2 frame\$2) same (decod\$5 with (stop\$5 or halt\$5 or mut\$7))) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>58</b>	<b>7</b>	(375/217, 375/216).ccls. and (decod\$5 with (stop\$5 or halt\$5 or mut\$7)) and @ad<"20001204"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>